

- 1. COMPACTED CRUSHED SURFACING TOP COURSE PER SECTION 9-03.9(3), "CRUSHED SURFACING", OF THE STANDARD SPECIFICATIONS CAN ALSO BE USED AS BEDDING GRAVEL.
- 2. EXCAVATE UNSTABLE MATERIAL DOWN TO FIRM SOIL AND REPLACE WITH FOUNDATION GRAVEL PER SECTION 9-03.9(1), "BALLAST", OF THE STANDARD SPECIFICATIONS
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANCHORING PIPE TO PREVENT FLOTATION DURING CONCRETE PLACEMENT.
- 4. WHEN THE DESIGN OF TANKS OR PIPES DOES NOT TAKE INTO ACCOUNT BOUYANCY, UNDERDRAINS SHALL BE PROVIDED.
- 5. PROVIDE CLEANOUTS ON UNDERDRAIN PIPE, EVERY 100 FEET, AND AT BENDS OR JUNCTIONS.



City of SURFACE WATER UTILITIES Bellevue

TITLE

PIPE BEDDING

JULY, 1998

NO SCALE

NO. D-46