


NOTES:

1. TREE PROTECTION DURING CONSTRUCTION: A SIX FOOT HIGH TEMPORARY CHAIN LINK FENCE SHALL BE ERECTED AT DRIP LINE OF TREE(S) TO BE SAVED, OR A DISTANCE OF 15 FEET FROM THE TRUNK, WHICHEVER IS GREATER. THE FENCE SHALL COMPLETELY ENCIRCLE THE TREE(S). INSTALL FENCE POSTS USING BLOCKS ONLY. IF INSTALLING POSTS DIRECTLY INTO GROUND IS NECESSARY, AVOID DRIVING INTO MAJOR ROOTS. AT THE DISCRETION OF BELLEVUE PARKS, FENCING MAY BE EXTENDED BEYOND THE DRIP LINE OR 15 FEET. BELLEVUE PARKS MAY PERMIT ALTERNATIVE FENCING METHODS IF SITE CONDITIONS PROHIBIT THE INSTALLATION OF PIER BLOCKS (STEEP SLOPES, SOFT SOILS, ETC.).
2. TREATMENT OF ROOTS EXPOSED DURING CONSTRUCTION: FOR ROOTS OVER 1 INCH IN DIAMETER DAMAGED DURING CONSTRUCTION, MAKE A CLEAN STRAIGHT CUT TO REMOVE DAMAGED PORTION OF ROOT. ALL EXPOSED ROOTS SHALL BE TEMPORARILY COVERED WITH MOIST BURLAP TO PREVENT DRYING AND COVERED WITH SOIL AS SOON AS POSSIBLE.
3. WORK WITHIN THE PROTECTION FENCE SHALL BE DONE MANUALLY. NO EXCAVATION, MATERIAL STOCKPILING, VEHICULAR TRAFFIC OR STORAGE OF EQUIPMENT/MACHINERY SHALL BE ALLOWED WITHIN THE LIMIT OF THE FENCING.
4. REFER TO CITY OF BELLEVUE CLEARING AND GRADING STANDARDS AND BEST MANAGEMENT PRACTICES FOR ADDITIONAL TREE PROTECTION REQUIREMENTS.



City of
Bellevue

TITLE:

**SITE PROTECTION - TREE PROTECTION DURING
CONSTRUCTION**

DRAWING #:	PK-IM-01A
SCALE:	N.T.S.
REVISION DATE:	12-2018
DEPARTMENT:	PARKS